



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/539,966	03/31/2000	Stephen D. Macarthur	07072-101001	2142

22494 7590 01/09/2004

DALY, CROWLEY & MOFFORD, LLP
SUITE 101
275 TURNPIKE STREET
CANTON, MA 02021-2310

EXAMINER

NGUYEN, MIKE

ART UNIT	PAPER NUMBER
----------	--------------

2182

DATE MAILED: 01/09/2004

18

Please find below and/or attached an Office communication concerning this application or proceeding.

✓

Office Action Summary

Application N .

09/539,966

Applicant(s)

MACARTHUR, STEPHEN D.

Examiner

Mike Nguyen

Art Unit

2182

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 20 October 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-31 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-31 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. §§ 119 and 120

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
* See the attached detailed Office action for a list of the certified copies not received.
- 13) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
a) ☐ The translation of the foreign language provisional application has been received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892) 4) ☐ Interview Summary (PTO-413) Paper No(s). _____
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948) 5) ☐ Notice of Informal Patent Application (PTO-152)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 7. 6) ☐ Other:

Art Unit: 2182

DETAILED ACTION

1. Applicant's amendment file on 10/20/2003 in response to Examiner's Office Action has been reviewed. The following rejections now apply.
2. Claims 1-31 are pending for the examination.

Drawings

3. This application has been filed with informal drawings which are acceptable for examination purposes only. Formal drawings will be required when the application is allowed.

Double Patenting

4. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

5. Claims 1-31 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-75 of copending Application No. 09/540,828. Although the conflicting claims are not identical, they are not patentably distinct from each other because it would have been obvious to be not grouped "a plurality of first directors" and "a plurality of second directors" into "a plurality of first director boards" and "a plurality of second director boards" in the system interface, or the data storage system in order to provide more reliable in transferring data of system interface and to protect

Art Unit: 2182

against total system failure in the event of a failure in a component or subassembly of the storage system. In addition, it would have been obvious to put "a switch" in either the boards or the message network or both in order to provide same motivation as above.

6. Claims 1-31 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-14 of copending Application No. 09/540,825. Although the conflicting claims are not identical, they are not patentably distinct from each other because "a pair of message network boards" would have been obvious to be included in the system interface, or the data storage system in order to provide more reliable in transferring data of system interface and to protect against total system failure in the event of a failure in a component or subassembly of the storage system.

7. This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Martin et al. (U.S. Pat. No. 5,214,768) in view of Gaskins (U.S. Pat. No. 5,903,911).

8. As to claim 1, Martin teaches a system interface comprising:

Art Unit: 2182

(a) a plurality of first director boards (it is inherently to combine a plurality of first directors (figure 1 elements 14, 16, 18, 19) into a plurality of director boards), each one of the first director boards having:

(i) a plurality of first directors (see figure 1 elements 14, 16, 18, 19 and column 5 lines 20-30); and

(ii) a crossbar switch having input/output ports coupled to the first directors on such one of the first director boards and a pair of output/input ports (see figures 2A, 3 element 122 and column 10 line 46 to column 11 line 25);

(b) a plurality of second director boards (see figure 1 element 56 and column 5 lines 53-58), each one of the second directors boards having:

(i) a plurality of second directors (see figure 1 element 48 and column 5 lines 49-58); and

(ii) a crossbar switch having input/output ports coupled to the second directors on such one of the second director boards and a pair of output/input ports (see figure 2B element 48 and figure 8);

(c) a data transfer section coupled to the plurality of first and second directors (see figure 2 element 42 and column 7 lines 25-34 and column 14 lines 4-18);

(d) a message network coupled to the pair of output/input ports of each one of the directors boards of the plurality of the first director boards and to the pair of output/input ports of each one of the directors boards of the plurality of second director boards (see figures 5, 6 and column 14 lines 37-45 figure 2 element 42 and column 7 lines 25-34 and column 14 lines 4-18); and

Although the system interface taught by Martin shows substantial features of the claimed invention (discussed above), it fails to explicitly teach: a cache memory, the message network

Art Unit: 2182

operative independently of the data transfer section, and wherein the first and second directors control data transfer between the first directors and the second directors in response to messages passing between the first directors and the second directors through the message network to facilitate data transfer between first directors and the second directors with such data passing through the cache memory in the data transfer section. Gaskins; however, teaches a cache memory (see figure 2 element 206), the message network operative independently of the data transfer section (see figure 2 element 208), and wherein the first and second directors control data transfer between the first directors and the second directors in response to messages passing between the first directors and the second directors through the message network to facilitate data transfer between first directors and the second directors with such data passing through the cache memory in the data transfer section (see figures 3, 4 and column 9 lines 10-65). Given the teaching of Gaskins, a person having ordinary skill in the art would have readily recognized the desirability and advantages of modifying Martin by employing the well known or conventional feature of the system interface, such as taught by Gaskins, in order to provide increasing the bandwidth of the data transfer section (see column 4 lines 39-40).

9. As to claim 2, Martin teaches the system interface recited in claim 1 wherein each one of the first directors includes:

a data pipe coupled between an input of such one of the first directors and the cache memory (see figure 3 and column 10 lines 56-62);

Although the system interface taught by Martin shows substantial features of the claimed invention (discussed above), it fails to explicitly teach: a controller. Gaskins; however, teaches a controller for transferring the messages between the message network and such one of the first

Art Unit: 2182

directors (see column 9 lines 12-14, 41-43). Given the teaching of Gaskins, a person having ordinary skill in the art would have readily recognized the desirability and advantages of modifying Martin by employing the well known or conventional feature of the system interface, such as taught by Gaskins, in order to provide increasing the bandwidth of the data transfer section (see column 4 lines 39-40).

10. As to claims 3 and 4, Martin teaches the system interface wherein each one of the second directors includes:

a data pipe coupled between an input of such one of the second directors and the cache memory (see figure 8 element 316 and column 15 lines 62-66);

Although the system interface taught by Martin shows substantial features of the claimed invention (discussed above), it fails to explicitly teach: a controller. Gaskins; however, teaches a controller for transferring the messages between the message network and such one of the second directors (see column 9 lines 21-30, 45-65). Given the teaching of Gaskins, a person having ordinary skill in the art would have readily recognized the desirability and advantages of modifying Martin by employing the well known or conventional feature of the system interface, such as taught by Gaskins, in order to provide increasing the bandwidth of the data transfer section (see column 4 lines 39-40).

11. As to claim 5, Martin teaches the system interface recited in claim 1 wherein each one of the first directors includes:

a data pipe coupled between an input of such one of the first directors and the cache a memory (see figure 3 and column 10 lines 56-62);

a microprocessor (see figure 3 elements 124, 126, 128); and

Art Unit: 2182

Although the system interface taught by Martin shows substantial features of the claimed invention (discussed above), it fails to explicitly teach: a controller. Gaskins; however, teaches a controller coupled to the microprocessor and the data pipe for controlling the transfer of the messages between the message network and such one of the first directors and for controlling the data between the input of such one of the first directors and the cache memory (see column 9 lines 12-30, 41-65). Given the teaching of Gaskins, a person having ordinary skill in the art would have readily recognized the desirability and advantages of modifying Martin by employing the well known or conventional feature of the system interface, such as taught by Gaskins, in order to provide increasing the bandwidth of the data transfer section (see column 4 lines 39-40).

12. As to claims 6 and 7, Martin teaches the system interface wherein each one of the second directors includes:

a data pipe coupled between an input of such one of the second directors and the cache memory (see figure 8 element 316 and column 15 lines 62-66);

a microprocessor (see figure 8 element 318); and

Although the system interface taught by Martin shows substantial features of the claimed invention (discussed above), it fails to explicitly teach: a controller. Gaskins; however, teaches a controller coupled to the microprocessor and the data pipe for controlling the transfer of the messages between the message network and such one of the second directors and for controlling the data between the input of such one of the second directors and the cache memory (see column 9 lines 12-30, 41-65). Given the teaching of Gaskins, a person having ordinary skill in the art would have readily recognized the desirability and advantages of modifying Martin by

Art Unit: 2182

employing the well known or conventional feature of the system interface, such as taught by Gaskins, in order to provide increasing the bandwidth of the data transfer section (see column 4 lines 39-40).

13. Claim 8 is of similar scope as claim 1 and is therefore rejected under same rationale.

Martin also teaches a data storage system for transferring data between a host computer/server and a bank of disk drives through a system interface (see figure 1 elements 12, 44).

14. Claims 9-14 are of similar scope as claims 2-7 and are therefore rejected under same rationale.

15. Claim 15 is of similar scope as claim 1 and is therefore rejected under same rationale.

Martin also teaches the data transfer section is also coupled to output/input port of the crossbar switch of each one of the plurality of first director boards and to the output/input port of the crossbar switch of each one of the plurality of second director boards (see figure 7 and column 14 lines 4-26);

16. Claims 16-21 are of similar scope as claim 2-7 and are therefore rejected under same rationale.

17. Claim 22 is of similar scope as claim 8 and is therefore rejected under same rationale.

Martin also teaches the data transfer section is also coupled to output/input port of the crossbar switch of each one of the plurality of first director boards and to the output/input port of the crossbar switch of each one of the plurality of second director boards (see figure 7 and column 14 lines 4-26).

Art Unit: 2182

18. Claims 23-28 are of similar scope as claims 2-7 and are therefore rejected under same rationale.

19. Claim 29 is of similar scope as claim 22 and is therefore rejected under same rationale.

Martin also teaches a data storage system for transferring data between a host computer/server and a bank of disk drives through a system interface (see figure 1 elements 12, 44).

20. As to claim 30, Martin teaches a system interface comprising:

(a) a plurality of first director boards (it is inherently to combine a plurality of first directors (figure 1 elements 14, 16, 18, 19) into a plurality of director boards), each one of the first director boards having:

(i) a plurality of first directors (see figure 1 elements 14, 16, 18, 19 and column 5 lines 20-30); and

(ii) a crossbar switch having input/output ports coupled to the first directors on such one of the first director boards and a pair of output/input ports (see figures 2A, 3 element 122 and column 10 line 46 to column 11 line 25);

(b) a plurality of second director boards (see figure 1 element 56 and column 5 lines 53-58), each one of the second directors boards having:

(i) a plurality of second directors (see figure 1 element 48 and column 5 lines 49-58); and

(ii) a crossbar switch having input/output ports coupled to the second directors on such one of the second director boards and a pair of output/input ports (see figure 2B element 48 and figure 8);

Art Unit: 2182

- (c) a data transfer section coupled to the data ports of the plurality of first and second directors (see figure 2 element 42 and column 7 lines 25-34 and column 14 lines 4-18);
- (d) a message network coupled to the pair of output/input ports of each one of the directors boards of the plurality of the first director boards and to the pair of output/input ports of each one of the directors boards of the plurality of second director boards (see figures 5, 6 and column 14 lines 37-45 figure 2 element 42 and column 7 lines 25-34 and column 14 lines 4-18); and

Although the system interface taught by Martin shows substantial features of the claimed invention (discussed above), it fails to explicitly teach: each one of the directors having a data port and a message port, a cache memory, and wherein the first and second directors control data transfer between the first director and the second director with data in such data transfer passing through the cache memory in response to messages passing between the first director and the second director through the message network. Gaskins; however, teaches each one of the directors having a data port and a message port (see figure 2 and column 5-14), a cache memory (see figure 2 element 206), and wherein the first and second directors control data transfer between the first director and the second director with data in such data transfer passing through the cache memory in response to messages passing between the first director and the second director through the message network (see figures 3, 4 and column 9 lines 10-65). Given the teaching of Gaskins, a person having ordinary skill in the art would have readily recognized the desirability and advantages of modifying Martin by employing the well known or conventional feature of the system interface, such as taught by Gaskins, in order to provide increasing the bandwidth of the data transfer section (see column 4 lines 39-40)

Art Unit: 2182

21. Claim 31 is of similar scope as claim 1 and is therefore rejected under same rationale.

Gaskin also teaches each one of the messages includes a destination field (see column 7 lines 66-67).

Response to Arguments

22. Applicant's arguments with respect to claim 1-31 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

23. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

U.S. Pat. No. 6,205,536 (Yoshida)

U.S. Pat. No. 6,557,140 B2 (Kakuta et al.)


24. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mike Nguyen whose telephone number is (703) 305-5040 or e-mail is mike.nguyen@uspto.gov. The examiner can normally be reached on Monday through Friday from 8:00 AM to 5:00 PM.

The appropriate fax number for the organization where this application or proceeding is assigned is (703) 872-9306.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Jeffrey Gaffin, can be reached on (703) 308-3301.

Any inquiry of a general nature or relating to the status of this application should be directed to the group receptionist whose telephone number is (703) 305-3900.

Mike Nguyen
Patent Examiner
Group Art Unit 2182


JEFFREY GAFFIN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100

01/05/2004